

Write your name here

Surname

Other names

Centre Number

Candidate Number

Edexcel GCSE

Mathematics A

Paper 1 (Non-Calculator)

Higher Tier

Monday 11 June 2012 – Afternoon

Time: 1 hour 45 minutes

Paper Reference

1MA0/1H

You must have: Ruler graduated in centimetres and millimetres, protractor, pair of compasses, pen, HB pencil, eraser. Tracing paper may be used.

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- **Calculators must not be used.**



Information

- The total mark for this paper is 100
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*
- Questions labelled with an **asterisk** (*) are ones where the quality of your written communication will be assessed.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P40645A

©2012 Pearson Education Ltd.

6/6/7/3/



P 4 0 6 4 5 A 0 1 2 8


PEARSON

GCSE Mathematics 1MA0


Formulae: Higher Tier

You must not write on this formulae page.
Anything you write on this formulae page will gain NO credit.

Volume of prism = area of cross section $\times$ length




Area of trapezium = $\frac{1}{2} (a + b)h$




Volume of sphere = $\frac{4}{3} \pi r^3$

Surface area of sphere = $4\pi r^2$




Volume of cone = $\frac{1}{3} \pi r^2 h$

Curved surface area of cone = $\pi r l$



In any triangle ABC



The Quadratic Equation

The solutions of $ax^2 + bx + c = 0$
where $a \neq 0$, are given by

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Sine Rule $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine Rule $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle = $\frac{1}{2} ab \sin C$



Answer ALL questions.

Write your answers in the spaces provided.

You must write down all stages in your working.

You must NOT use a calculator.

1 Sam wants to find out the types of film people like best.

He is going to ask whether they like comedy films or action films or science fiction films or musicals best.

(a) Design a suitable table for a data collection sheet he could use to collect this information.

PREFERRED Film TYPE ✓	TALLY ✓	FREQUENCY ✓
COMEDY		
ACTION		
SCIENCE FICTION		
MUSICALS		

(2)

Sam collects his data by asking 10 students in his class at school.
This might **not** be a good way to find out the types of film people like best.

(b) Give **one** reason why.

His sample is biased. He has only asked people in one narrow age group.

(1)

(Total for Question 1 is 3 marks)



- 2 The diagram shows a patio in the shape of a rectangle.




Diagram **NOT** accurately drawn

The patio is 3.6 m long and 3 m wide.


Matthew is going to cover the patio with paving slabs.
Each paving slab is a square of side 60 cm.

Matthew buys 32 of the paving slabs.

- (a) Does Matthew buy enough paving slabs to cover the patio?
You must show all your working.

$$300\text{cm} \div 60\text{cm} = 5 \text{ slabs tall}$$

$$360\text{cm} \div 60\text{cm} = 6 \text{ slabs wide}$$



He needs 30 slabs to cover the area, so he has bought enough.

Yes

(3)

The paving slabs cost £8.63 each.

- (b) Work out the total cost of the 32 paving slabs.

x	800	60	3
30	24000	1800	90
2	1600	120	6
	25600	1920	96


$$\begin{array}{r}
 25,600 \\
 1,920 \\
 \cdot 96 \\
 \hline
 276.16 \\
 \text{£ } 276.16
 \end{array}$$

(3)

(Total for Question 2 is 6 marks)



- *3 Bill uses his van to deliver parcels.
For each parcel Bill delivers there is a fixed charge plus £1.00 for each mile.
You can use the graph to find the total cost of having a parcel delivered by Bill.



- (a) How much is the fixed charge?

£ 10 (1) ✓

Ed uses a van to deliver parcels.
For each parcel Ed delivers it costs £1.50 for each mile.
There is **no** fixed charge.

- (b) Compare the cost of having a parcel delivered by Bill with the cost of having a parcel delivered by Ed.

You could draw Ed's charges as a graph. ✓
It is cheaper to use Ed's delivery service for distances of less than 20 miles. The charges are the same at 20 miles. Bill is cheaper for deliveries further than 20 miles.

(3)

(Total for Question 3 is 4 marks)



- 4 Here are the speeds, in miles per hour, of 16 cars.

~~31~~ ~~52~~ ~~43~~ ~~49~~ ~~36~~ ~~35~~ ~~33~~ ~~29~~
~~54~~ ~~43~~ ~~44~~ ~~46~~ ~~42~~ ~~39~~ ~~55~~ ~~48~~

Draw an ordered stem and leaf diagram for these speeds.

Stem	Leaf
2	9
3	1 6 5 3 9
4	3 9 3 4 6 2 8
5	2 4 5

Stem	Leaf
2	9 ✓
3	1 3 5 6 9 ✓
4	2 3 3 4 6 8 9 ✓
5	2 4 5 ✓

Key: 3|1 = 31 ✓

3

(Total for Question 4 is 3 marks)



5



You can work out the amount of medicine, c ml, to give to a child by using the formula

$$c = \frac{ma}{150}$$

m is the age of the child, in months.

a is an adult dose, in ml.

A child is 30 months old.

An adult's dose is 40 ml.

Work out the amount of medicine you can give to the child.

$$\begin{aligned} c &= \frac{30 \times 40}{150} \\ &= \frac{1200}{150} \\ &= 8 \text{ ml} \end{aligned}$$

$$m = 30$$

$$a = 40$$

$$\begin{array}{r} 15 \\ 30 \\ 45 \\ 60 \\ 75 \\ 90 \\ 115 \\ 120 \end{array}$$

8



2

..... ml

(Total for Question 5 is 2 marks)



5

- 6 Here are the ingredients needed to make 12 shortcakes.

Shortcakes

Makes 12 shortcakes

50 g of sugar
200 g of butter
200 g of flour
10 ml of milk

Liz makes some shortcakes.
She uses 25 ml of milk.

- (a) How many shortcakes does Liz make?

$$25 \text{ ml} \div 10 \text{ ml} = 2.5$$

$$12 \times 2.5 = 30$$

30

(2)



2

Robert has	500 g of sugar	$\times 10$
	1000 g of butter	$\times 5$
	1000 g of flour	$\times 5$
	500 ml of milk	$\times 50$

- (b) Work out the greatest number of shortcakes Robert can make.

Robert is limited by the amount of butter and flour he has. He can make 5 x the amount of shortcakes in the recipe.

$$5 \times 12 = 60 \text{ shortcakes}$$

60

(2)



2

(Total for Question 6 is 4 marks)



- 7 Buses to Acton leave a bus station every 24 minutes.
Buses to Barton leave the same bus station every 20 minutes.

A bus to Acton and a bus to Barton both leave the bus station at 9 00 am.

When will a bus to Acton and a bus to Barton next leave the bus station at the same time?

ACTON	BARTON
0900	0900
0924	0920
0948	0940
1012	1000
1036	1020
1100	1040
	1100

11 00 am

(Total for Question 7 is 3 marks)

- 8 (a) Expand $3(2y - 5)$

$$3(2y - 5) = 6y - 15$$

$$6y - 15$$

- (b) Factorise completely $8x^2 + 4xy$

Highest Common Factor $4x$

$$4x(2x + y)$$

$$4x(2x + y)$$

- (c) Make h the subject of the formula

$$(x10) 10t = gh$$

$$t = \frac{gh}{10}$$


$$(\div 10) h = \frac{10t}{g}$$

$$h = \frac{10t}{g}$$

(Total for Question 8 is 5 marks)



9



Describe fully the single transformation that maps triangle A onto triangle B.

A Rotation of 180° about centre (3,3) ✓

(Total for Question 9 is 3 marks)

3



***10** Railtickets and Cheaptrains are two websites selling train tickets.

Each of the websites adds a credit card charge and a booking fee to the ticket price.

Railtickets

Credit card charge: 2.25% of ticket price

Booking fee: 80 pence

Cheaptrains

Credit card charge: 1.5% of ticket price

Booking fee: £1.90

Nadia wants to buy a train ticket.

The ticket price is £60 on each website.

Nadia will pay by credit card.

Will it be cheaper for Nadia to buy the train ticket from Railtickets or from Cheaptrains?

RAILTICKETS

CHEAP TRAINS

$$\begin{aligned} \text{£}60 \\ 1\% = 60\text{p} \quad \frac{1}{4}\% = 15\text{p} \\ 2\frac{1}{4}\% = 135\text{p} = \text{£}1.35 \end{aligned}$$

$$1.5\% = 90\text{p}$$

$$\begin{array}{r} \text{£}60.00 \\ \text{£}1.35 \\ \text{£}0.80 \\ \hline \end{array}$$

$$\text{£}62.15 \checkmark$$

$$\begin{array}{r} \text{£}60.00 \\ \text{£}0.90 \\ \text{£}1.90 \\ \hline \end{array}$$


$$\text{£}62.80 \checkmark$$

It is 65p cheaper to buy the ticket
from RAILTICKETS. $\checkmark$

(Total for Question 10 is 4 marks)



11

Diagram **NOT**
accurately drawn

The diagram shows a parallelogram.
The sizes of the angles, in degrees, are

$2x$
 $3x - 15$
 $2x$
 $2x + 24$

$$2x + (3x - 15) + 2x + (2x + 24) = 360^\circ$$

Work out the value of x . $2x + 3x - 15 + 2x + 2x + 24 = 360$

$$2x + 3x + 2x + 2x - 15 + 24 = 360$$

$$9x + 9 = 360$$

$$9x = 351$$

$$\begin{array}{r} 039 \\ 9 \overline{) 351} \end{array}$$

$$(\div 9) \quad x = 39^\circ$$

$$x = 39^\circ \quad \checkmark \quad 3$$

(Total for Question 11 is 3 marks)



- 12 Jane has a carton of orange juice.
The carton is in the shape of a cuboid.




Diagram NOT
accurately drawn

The depth of the orange juice in the carton is 8 cm.

Jane closes the carton.

Then she turns the carton over so that it stands on the shaded face.

Work out the depth, in cm, of the orange juice now.

$$\text{Area of cross-section} = 6 \times 20 = 120 \text{ cm}^2$$

$$\text{Depth of juice} = 480 \div 120 = 4 \text{ cm}$$

$$\begin{aligned} \text{Volume of orange} \\ &= 6 \times 8 \times 10 \\ &= 480 \text{ cm}^3 \end{aligned}$$

4 ✓ cm

3

(Total for Question 12 is 3 marks)



6

13




Diagram **NOT**
accurately drawn

The diagram shows a regular hexagon and a regular octagon.

Calculate the size of the angle marked x .

You must show all your working.

$$\text{Exterior angle of regular polygon} = \frac{360^\circ}{n}$$

number of sides

$$\text{Exterior angle of HEXAGON} = \frac{360}{6} = 60^\circ$$

$$\text{Exterior angle of OCTAGON} = \frac{360}{8} = 45^\circ$$

$$x^\circ = 60^\circ + 45^\circ = 105^\circ$$


✓
105

4

(Total for Question 13 is 4 marks)



- 14 The diagram shows the position of a lighthouse L and a harbour H .



The scale of the diagram is 1 cm represents 5 km.

- (a) Work out the real distance between L and H .

Distance L to H on diagram =
 Real distance = cm $\times$ 5 km =

..... km
 (1)

- (b) Measure the bearing of H from L .

.....
 (1)

A boat B is 20 km from H on a bearing of 040° .

- (c) On the diagram, mark the position of boat B with a cross ($\times$).
 Label it B .

(2)

(Total for Question 14 is 4 marks)



15 Harry grows tomatoes.


This year he put his tomato plants into two groups, group A and group B.

Harry gave fertiliser to the tomato plants in group A.

He did not give fertiliser to the tomato plants in group B.

Harry weighed 60 tomatoes from group A.

The cumulative frequency graph shows some information about these weights.




(a) Use the graph to find an estimate for the median weight.

170 ✓
..... g
(1)



The 60 tomatoes from group A
had a minimum weight of 153 grams
and a maximum weight of 186 grams.

- (b) Use this information and the cumulative frequency graph to draw a box plot for the 60 tomatoes from group A.




Group A

(3)

Harry did not give fertiliser to the tomato plants in group B.

Harry weighed 60 tomatoes from group B.
He drew this box plot for his results.



Group B

- (c) Compare the distribution of the weights of the tomatoes from group A with the distribution of the weights of the tomatoes from group B.

Group B tomatoes have a lower median weight.
The IQR for group A is $175 - 165 = 10g$
The IQR for group B is $166 - 158 = 8g$
Group B has a smaller IQR.

(2)

(Total for Question 15 is 6 marks)



16 (a) Simplify $(m^{-2})^5$

$$(m^{-2})^5 = m^{(-2 \times 5)} = m^{-10}$$

$$m^{-10}$$

(1)

(b) Factorise $x^2 + 3x - 10$

$$\begin{array}{l} -1 \times 10 \\ -2 \times 5 \\ -5 \times 2 \\ -10 \times 1 \end{array}$$

$$(x-2)(x+5)$$

(2)

(Total for Question 16 is 3 marks)

17 (a) Write down the value of 10^0

Anything to the power of 0 is 1

$$10^0 = 1$$

(1)

(b) Write 6.7×10^{-5} as an ordinary number.

.000067

$$0.000067$$

(1)

(c) Work out the value of $(3 \times 10^7) \times (9 \times 10^6)$
Give your answer in standard form.

$$(3 \times 10^7) \times (9 \times 10^6)$$

$$= 3 \times 9 \times 10^7 \times 10^6$$

$$= 27 \times 10^{13}$$

$$= 2.7 \times 10^{14}$$

has to
be between
1 and less
than 10


$$2.7 \times 10^{14}$$

(2)

(Total for Question 17 is 4 marks)



18



Triangle ABC is drawn on a centimetre grid.

A is the point $(2, 2)$.

B is the point $(6, 2)$.

C is the point $(5, 5)$.

Triangle PQR is an enlargement of triangle ABC with scale factor $\frac{1}{2}$ and centre $(0, 0)$.

Work out the area of triangle PQR .

$$\begin{aligned} \text{Area } \Delta &= \frac{1}{2}bh \\ &= \frac{1}{2} \times 2 \times 1.5 \\ &= 1.5 \text{ cm}^2 \end{aligned}$$

$$\begin{aligned} \text{base of } PQR &= 2 \\ \text{height of } PQR &= 1.5 \end{aligned}$$

1.5 ✓
..... cm²

(Total for Question 18 is 3 marks)



3


10

- 19 Wendy goes to a fun fair.
She has one go at Hoopla.
She has one go on the Coconut shy.

The probability that she wins at Hoopla is 0.4

The probability that she wins on the Coconut shy is 0.3

- (a) Complete the probability tree diagram.



(2)

- (b) Work out the probability that Wendy wins at Hoopla and also wins on the Coconut shy.

$P(\text{Wins Hoopla and Wins Coconut Shy})$

$$= 0.4 \times 0.3$$

$$= 0.12$$

0.12 ✓

(2)

(Total for Question 19 is 4 marks)



20 Solve the simultaneous equations

$$\begin{array}{l} \textcircled{1} \quad 5x + 2y = 11 \\ \textcircled{2} \quad 4x - 3y = 18 \end{array}$$

$$\begin{array}{rcl} \textcircled{1} \times 3 & 15x + 6y & = 33 \\ \textcircled{2} \times 2 & 8x - 6y & = 36 \\ \hline \text{ADD} & 23x & = 69 \\ (\div 23) & x & = 3 \\ \hline \hline \end{array}$$

Solve $\textcircled{1}$ for y

$$\begin{aligned} 5x + 2y &= 11 \\ (5 \times 3) + 2y &= 11 \\ 15 + 2y &= 11 \\ 2y &= -4 \\ y &= -2 \end{aligned}$$

check $x = 3$ $y = -2$

$$4x - 3y = 18$$

$$\begin{aligned} 12 - (-6) \\ = 12 + 6 = 18 \checkmark \end{aligned}$$

$$\begin{array}{l} x = \checkmark 3 \\ y = \checkmark -2 \end{array}$$


(Total for Question 20 is 4 marks)



4

8

*21

Diagram **NOT**
accurately drawn

B , C and D are points on the circumference of a circle, centre O .
 AB and AD are tangents to the circle.

Angle $DAB = 50^\circ$

Work out the size of angle BCD .

Give a reason for each stage in your working.

TANGENTS meet RADII at 90° ✓
 so $\hat{A}DO = \hat{A}BO = 90^\circ$

$$\begin{aligned}\hat{B}OD &= 360^\circ - (90 + 90 + 50) \\ &= 360^\circ - (230)\end{aligned}$$

$$= 130^\circ \quad \checkmark$$

Angles in QUADRILATERALS
add to 360° ✓

The ANGLE at the CENTRE is TWICE the angle at the
CIRCUMFERENCE ✓


$$\hat{B}CD = 130^\circ \div 2 = 65^\circ \quad \checkmark$$

$$\underline{\underline{\hat{B}CD = 65^\circ \quad \checkmark}}$$

4

(Total for Question 21 is 4 marks)






22 The table gives some information about the speeds, in km/h, of 100 cars.

$$FD = \frac{F}{W}$$

Speed (s km/h)	Frequency	WIDTH	FD
$60 < s \leq 65$	15	5	3
$65 < s \leq 70$	25	5	5
$70 < s \leq 80$	36	10	3.6
$80 < s \leq 100$	24	20	1.2

(a) On the grid, draw a histogram for the information in the table.

FREQUENCY
DENSITY



(3)

(b) Work out an estimate for the number of cars with a speed of more than 85 km/h.

estimate that

$\frac{3}{4}$ of category of $80 \rightarrow 100$ is over 85 km/h

$$24 \times \frac{3}{4} = 18 \text{ cars}$$

18 cars

(2)

(Total for Question 22 is 5 marks)



Factorise both

23 (a) Simplify fully $\frac{x^2 + 3x - 4}{2x^2 - 5x + 3}$

$$x^2 + 3x - 4 = (x+4)(x-1)$$

$$\frac{(x+4)(x-1)}{(2x-3)(x-1)}$$

$$2x^2 - 5x + 3 = (2x-3)(x-1)$$

$$2 \times 3 = 6$$

$$2x^2 - 2x - 3x + 3$$

$$\begin{aligned} -6x - 1 &= 6 \\ -3x - 2 &= 6 \end{aligned}$$

$$\begin{aligned} &= 2x(x-1) - 3(x-1) \\ &= (2x-3)(x-1) \end{aligned}$$

$$\frac{x+4}{2x-3}$$

(3)

3

(b) Write $\frac{4}{x+2} + \frac{3}{x-2}$ as a single fraction in its simplest form.

$$\frac{4}{x+2} \times \frac{x-2}{x-2} = \frac{4(x-2)}{(x+2)(x-2)}$$

$$\frac{4(x-2) + 3(x+2)}{(x+2)(x-2)}$$

$$\frac{3}{x-2} \times \frac{x+2}{x+2} = \frac{3(x+2)}{(x+2)(x-2)}$$

$$= \frac{4x - 8 + 3x + 6}{(x+2)(x-2)}$$

$$= \frac{7x - 2}{x^2 - 4}$$

(3)

3

(Total for Question 23 is 6 marks)

24 Express the recurring decimal $0.2\dot{8}1$ as a fraction in its simplest form.

$$x = 0.2818181 = 0.2\dot{8}1$$

$$100x = 28.18181$$

$$x = 0.28181$$

$$99x = 27.90000$$

$$99x = 27.9$$

$$x = \frac{279}{990} = \frac{93}{330}$$

$$= \frac{31}{110}$$

$$\frac{31}{110}$$

(Total for Question 24 is 3 marks)

3



25 The diagram shows a solid metal cylinder.




Diagram **NOT**
accurately drawn

$$\text{Volume of cylinder} = \pi r^2 h$$

$$\text{Volume of sphere} = \frac{4}{3} \pi r^3$$

The cylinder has base radius $2x$ and height $9x$.

The cylinder is melted down and made into a sphere of radius r .

Find an expression for r in terms of x .

$$\begin{aligned} \text{Volume of cylinder} &= \pi \times (2x)^2 \times 9x \\ &= \pi \times 4x^2 \times 9x \\ &= 36\pi x^3 \end{aligned}$$

$$36\pi x^3 = \frac{4}{3} \pi r^3$$

$$(\times 3) \quad 108\pi x^3 = 4\pi r^3$$

$$(\div 4) \quad 27\pi x^3 = \pi r^3$$

$$(\div \pi) \quad 27x^3 = r^3$$

$$(\sqrt[3]{}) \quad 3x = r$$


$$r = 3x$$

(Total for Question 25 is 3 marks)



26 The graph of $y = f(x)$ is shown on each of the grids.

(a) On this grid, sketch the graph of $y = f(x - 3)$ ← moves 3 right




(2)

2



(b) On this grid, sketch the graph of $y = 2f(x)$

← doubles y in each position



(2)

(Total for Question 26 is 4 marks)

TOTAL FOR PAPER IS 100 MARKS



BLANK PAGE

